

IN THE CLAIMS:

Please amend Claim 14 and add new Claims 16-22 as follows.

1. to 13. (Cancelled)

14. (Currently Amended) An image display panel of the reflection type comprising, in a multilayer structure:

a first layer including a periodic planar arrangement of a plurality of electrophoretic elements, each of the plurality of electrophoretic elements included in the first layer showing one of an opaque black state and a transparent state in response to an input signal; and

a second layer including a periodic planar arrangement of a plurality of electrophoretic elements, each of the plurality of electrophoretic elements included in the second layer showing at least a first color state and a second color state in response to an input signal,

~~wherein an arrangement period of the electrophoretic elements included in the first layer is smaller than an arrangement period of the electrophoretic elements included in the second layer;~~

wherein the electrophoretic elements included in the first layer are smaller in area than the electrophoretic elements included in the second layer, and the electrophoretic elements included in the first layer and the electrophoretic elements included in the second layer are respectively individually controlled.

15. (Previously Presented) The image display panel of the reflection type according to claim 14, wherein the second layer includes a first electrophoretic element and a second electrophoretic element, the first electrophoretic element having a green state and a red state, and the second electrophoretic element having a blue state.

16. (New) The image display panel of the reflection type according to claim 14, wherein each of the electrophoretic elements in the first layer is modulated with a high spatial frequency.

17. (New) The image display panel of the reflection type according to claim 14, wherein each of the electrophoretic elements in the second layer is modulated with a low spatial frequency.

18. (New) An image display panel of the reflection type comprising, in a multilayer structure:

a first layer including a periodic planar arrangement of a plurality of electrophoretic elements, each of the plurality of electrophoretic elements included in the first layer showing one of an opaque black state and a transparent state in response to an input signal; and

a second layer including a periodic planar arrangement of a plurality of electrophoretic elements, each of the plurality of electrophoretic elements included in the second layer showing at least a first color state and a second color state in response to an input signal,

wherein the electrophoretic elements included in the first layer are smaller in area than the electrophoretic elements included in the second layer.

19. (New) An image display panel of the reflection type according to claim 18, wherein each of the electrophoretic elements in the first layer is individually controlled with an input signal.

20. (New) The image display panel of the reflection type according to claim 19, wherein each of the electrophoretic elements in the first layer is modulated with a high spatial frequency.

21. (New) An image display panel of the reflection type according to claim 18, wherein each of the electrophoretic elements in the second layer is individually controlled with an input signal.

22. (New) The image display panel of the reflection type according to claim 21, wherein each of the electrophoretic elements in the second layer is modulated with a low spatial frequency.